

ZIP LINE



input.®

Gliding like a bird above the mountains...

input[®]



QUICKFACTS

- ▮ Speed up to 150 km/h
- ▮ Ride length up to 2,5 km
- ▮ Capacity: 20-50 pph and per line
- ▮ Operation day & night
- ▮ Operation in sun & rain
- ▮ Operation in Winter with ice & snow to -15°
- ▮ Operation to 15 m/s wind velocity
- ▮ TÜV approved, designed on int. standards

ZIP LINE


Input[®]

TECHNICAL SPECIFICATIONS:

Speed	Up to 150 km/h	Minimum Age	8 years
Lines	Diverse lines side by side possible	Minimum Height	130 cm
Sections	Diverse sections possible	Weight	30-130 Kg
Ride-Length	Up to a length of 2,5 km	Sun & Rain	Operation possible
Capacity	20-50 pph and per line	Snow & Ice	Operation possible to -15°
Ride-Positions	sitting or lying	Wind Velocity	Operation possible up to 15 m/s
Day & Night	Operation possible	Plausibility-Check	Feasibility / Operation / Backhaul
Applications	Mountains, Cities, Halls, Buildings, cruise ships, leisure parks...	Safety Concept	Ridemonitoring via safety-SPS according to TÜV (safety certificate)
Windcontrol	wind velocity & wind direction	Display	All relevant parameters are shown
Temperaturecontrol	Temperaturcontrol at any station	Start-System	Single Start & Multi Start Mode

ZIP LINE

MORE OF US ...



Input®

- 15 YEARS OF EXPERIENCE ON THE MARKET
- OVER 120 PROJECTS AROUND THE WORLD IN MORE THAN 20 COUNTRIES
- EXPERIENCE FOR 365 DAYS A YEAR
- WE BRING NATURE AND TECHNOLOGY TOGETHER
- ECONOMIC SUCCESS GUARANTEED

Input® Projektentwicklungs GmbH | Birkenstrasse 2 | 5300 Hallwang
phone. +43 - 662 - 6686 – 222 | office@input-projekt.com | www.input-produkt.com